ELSEVIER

Artificial Intelligence 90 (1997) 355–364

Artificial Intelligence

Master Index—Volumes 81–90

(For the sake of simplicity and uniformity, all names beginning with articles or prepositions are listed as if written as single words.)

Adcock, J., see Charniak, E. **85** (1996) 45–57
Ahuja, N., see Das, S. **83** (1996) 241–266
Almuallim, H.
An efficient algorithm for optimal pruning of decision trees **83** (1996) 347–362
Ash, D. and B. Hayes-Roth
Using action-based hierarchies for real-time diagnosis **88** (1996) 317–347
Auton, L.D., see Crawford, J.M. **81** (1996) 31–57

Baader, F., M. Buchheit and B. Hollunder
Cardinality restrictions on concepts **88** (1996) 195–213
Bacchus, F., A.J. Grove, J.Y. Halpern and D. Koller
From statistical knowledge bases to degrees of belief **87** (1996) 75–143
Bagchi, A., see Sen A.K. **86** (1996) 43–73
Balcázar, J.L.
The complexity of searching implicit graphs (Research Note) **86** (1996) 171–188
Basili, R., M.T. Pazienza and P. Velardi
An empirical symbolic approach to natural language processing **85** (1996) 59–99
Baumgartner, P., U. Furbach and F. Stolzenburg
Computing answers with model elimination **90** (1997) 135–176
Becker, A. and D. Geiger
Optimization of Pearl's method of conditioning and greedy-like approximation algorithms for the vertex feedback set problem **83** (1996) 167–188
Ben-Eliyahu, R. and R. Dechter
Default reasoning using classical logic **84** (1996) 113–150
Bennett, S.W., see DeJong, G.F. **89** (1997) 173–217
Berliner, H.J. and C. McConnell
B* probability based search **86** (1996) 97–156

Elsevier Science B.V.

Blum, A.L. and M.L. Furst
Fast planning through planning graph analysis **90** (1997) 281–300
Borgida, A.
On the relative expressiveness of description logics and predicate logics (Research Note) **82** (1996) 353–367
Boutilier, C.
Abduction to plausible causes: an event-based model of belief update **83** (1996) 143–166
Boutilier, C., see Dearden, R. **89** (1997) 219–283
Brooks, R.R., S.S. Iyengar and J. Chen
Automatic correlation and calibration of noisy sensor readings using elite genetic algorithms **84** (1996) 339–354
Buchheit, M., see Baader, F. **88** (1996) 195–213
Bundy, A., F. Giunchiglia, R. Sebastiani and T. Walsh
Calculating criticalities **88** (1996) 39– 67
Bylander, T.
A probabilistic analysis of propositional STRIPS planning **81** (1996) 241–271

Cadoli, M., F.M. Donini and M. Schaerf
Is intractability of nonmonotonic reasoning a real drawback? **88** (1996) 215–251
Carroll, G., see Charniak, E. **85** (1996) 45– 57
Cassandra, A., see Charniak, E. **85** (1996) 45– 57
Chakrabarti, P.P., see Dasgupta, P. **82** (1996) 237–257
Charniak, E., G. Carroll, J. Adcock, A. Cassandra, Y. Gotoh, J. Katz, M. Littman and J. McCann
Taggers for parsers **85** (1996) 45– 57
Chella, A., M. Frixione and S. Gaglio
A cognitive architecture for artificial vision **89** (1997) 73–111
Chen, J., see Brooks, R.R. **84** (1996) 339–354
Chickering, D.M., see Korf, R.E. **84** (1996) 299–337
Clearwater, S.H. and T. Hogg
Problem structure heuristics and scaling behavior for genetic algorithms **81** (1996) 327–347
Cohen, P. and B. Porter
Editorial **85** (1996) 1– 2
Cooper, M.C.
Fundamental properties of neighbourhood substitution in constraint satisfaction problems **90** (1997) 1– 24
Cooper, R., J. Fox, J. Farringdon and T. Shallice
A systematic methodology for cognitive modelling **85** (1996) 3– 44
Crawford, J.M. and L.D. Auton
Experimental results on the crossover point in random 3-SAT **81** (1996) 31– 57
Crawford, J.M., see Schrag, R. **81** (1996) 199–222

Darwiche, A. and J. Pearl
On the logic of iterated belief revision **89** (1997) 1- 29
Das, S. and N. Ahuja
Active surface estimation: integrating coarse-to-fine image acquisition and estimation from multiple cues **83** (1996) 241-266
Dasgupta, P., P.P. Chakrabarti and S.C. DeSarkar
Searching game trees under a partial order **82** (1996) 237-257
Dearden, R. and C. Boutilier
Abstraction and approximate decision-theoretic planning **89** (1997) 219-283
De Bruin, A., see Plaat, A. **87** (1996) 255-293
Dechter, A., see Dechter, R. **82** (1996) 1- 20
Dechter, R. and A. Dechter
Structure-driven algorithms for truth maintenance **82** (1996) 1- 20
Dechter, R., see Ben-Eliyahu, R. **84** (1996) 113-150
Dechter, R., see Meiri, I. **86** (1996) 245-267
DeJong, G.F. and S.W. Bennett
Permissive planning: extending classical planning to uncertain task domains **89** (1997) 173-217
DeJong, G.F., see Gratch, J. **88** (1996) 101-142
Del Favero, B., see Pradhan, M. **85** (1996) 363-397
Delgrande, J.P. and T.H. Schaub
Compiling specificity into approaches to nonmonotonic reasoning **90** (1997) 301-348
DeSarkar, S.C., see Dasgupta, P. **82** (1996) 237-257
Devanbu, P.T. and D.J. Litman
Taxonomic plan reasoning **84** (1996) 1- 35
Dietterich, T.G., R.H. Lathrop and T. Lozano-Pérez
Solving the multiple instance problem with axis-parallel rectangles **89** (1997) 31- 71
F.J. Díez
Local conditioning in Bayesian networks **87** (1996) 1- 20
Donini, F.M., see Cadoli, M. **88** (1996) 215-251
Dyer, M.E., see Smith, B.M. **81** (1996) 155-181
Dzubera, J., see Whitley, D. **85** (1996) 245-276

T. Eiter, G. Gottlob and N. Leone
Semantics and complexity of abduction from default theories **90** (1997) 177-223
Elkan, C.P., see Segre, A.M. **85** (1996) 301-319
Ephrati, E. and J.S. Rosenschein
Deriving consensus in multiagent systems **87** (1996) 21- 74
Etzioni, O., K. Golden and D.S. Weld
Sound and efficient closed-world reasoning for planning **89** (1997) 113-148

Farringdon, J., see Cooper, R. **85** (1996) 3- 44

Fink, E. and Q. Yang		
Automatically selecting and using primary effects in planning: theory and experiments	**89** (1997)	285–315
Fox, J., see Cooper, R.	**85** (1996)	3– 44
Fox, M.S., see Sadeh, N.	**86** (1996)	1– 41
Freeman, J.W.		
Hard random 3-SAT problems and the Davis–Putnam procedure	**81** (1996)	183–198
Freksa, C.		
Erratum to: "Temporal reasoning based on semi-intervals"	**87** (1996)	387
Frixione, M., see Chella, A.	**89** (1997)	73–111
Furbach, U., see Baumgartner, P.	**90** (1997)	135–176
Furst, M.L., see Blum, A.L.	**90** (1997)	281–300
Gaglio, M., see Chella, A.	**89** (1997)	73–111
Geiger, D. and D. Heckerman		
Knowledge representation and inference in similarity networks and Bayesian multinets	**82** (1996)	45– 74
Geiger, D., see Becker, A.	**83** (1996)	167–188
Gent, I.P. and T. Walsh		
The satisfiability constraint gap	**81** (1996)	59– 80
Gent, I.P. and T. Walsh		
The TSP phase transition (Research Note)	**88** (1996)	349–358
Gillies, D.F., see Kwoh, C.-K.	**88** (1996)	1– 38
Giunchiglia, F., see Bundy, A.	**88** (1996)	39– 67
Golden, K., see Etzioni, O.	**89** (1997)	113–148
Golding, A.R. and P.S. Rosenbloom		
Improving accuracy by combining rule-based and case-based reasoning	**87** (1996)	215–254
Goldszmidt, M. and J. Pearl		
Qualitative probabilities for default reasoning, belief revision, and causal modeling	**84** (1996)	57–112
Gomatam, J., see Reynolds, D.	**82** (1996)	303–330
Gomatam, J., see Reynolds, D.	**86** (1996)	375–390
Gordon, G.J., see Segre, A.M.	**85** (1996)	301–319
Gotoh, Y., see Charniak, E.	**85** (1996)	45– 57
Gottlob, G., see Eiter, T.	**90** (1997)	177–223
Gratch, J. and G.F. DeJong		
A statistical approach to adaptive problem solving	**88** (1996)	101–142
Greiner, R.		
PALO: a probabilistic hill-climbing algorithm	**84** (1996)	177–208
Greiner, R. and P. Orponen		
Probably approximately optimal satisficing strategies	**82** (1996)	21– 44
Grosz, B.J. and S. Kraus		
Collaborative plans for complex group action	**86** (1996)	269–357

Grove, A.J., see Bacchus, F. **87** (1996) 75–143

Halpern, J.Y., see Bacchus, F. **87** (1996) 75–143
Hansson, S.O.
Knowledge-level analysis of belief base operations **82** (1996) 215–235
Hansson, S.O.
A test battery for rational database updating (Research Note) **82** (1996) 341–352
Hayes-Roth, B., see Ash, D. **88** (1996) 317–347
Heckerman, D., see Geiger, D. **82** (1996) 45– 74
Henrion, M., see Pradhan, M. **85** (1996) 363–397
Hickey, R.J.
Noise modelling and evaluating learning from examples **82** (1996) 157–179
Hirsch, R.
Relation algebras of intervals **83** (1996) 267–295
Hogg, T.
Refining the phase transition in combinatorial search **81** (1996) 127–154
Hogg, T., B.A. Huberman and C.P. Williams
Phase transitions and the search problem (Editorial) **81** (1996) 1– 15
Hogg, T., see Clearwater, S.H. **81** (1996) 327–347
Hollunder, B., see Baader, F. **88** (1996) 195–213
Holte, R., T. Mkadmi, R.M. Zimmer and A.J. MacDonald
Speeding up problem solving by abstraction: a graph oriented approach **85** (1996) 321–361
Huang, K., see Pradhan, M. **85** (1996) 363–397
Huang, Z., M. Masuch and L. Pólos
ALX, an action logic for agents with bounded rationality **82** (1996) 75–127
Hubermann, B.A., see Hogg, T. **81** (1996) 1– 15

Iwanuma, K. and K. Oota
An extension of pointwise circumscription (Research Note) **86** (1996) 391–402
Iyengar, S.S., see Brooks, R.R. **84** (1996) 339–354

Joskowicz, L., see Nayak, P.P. **83** (1996) 193–227

Kambhampati, S., S. Katukam and Y. Qu
Failure driven dynamic search control for partial order planners: an explanation based approach **88** (1996) 253–315
Kambhampati, S. and D.S. Nau
On the nature and role of modal truth criteria in planning **82** (1996) 129–155
Katukam, S., see Kambhampati, S. **88** (1996) 253–315
Khardon, R. and D. Roth
Reasoning with models **87** (1996) 187–213
Katz, J., see Charniak, E. **85** (1996) 45– 57
Kirkpatrick, S., see Selman, B. **81** (1996) 273–295
King, R.D., see Srinivasan, A. **85** (1996) 277–299

Kleiter, G.D.
Propagating imprecise probabilities in Bayesian networks **88** (1996) 143–161
Koehler, J.
Planning from second principles **87** (1996) 145–186
Koller, D., see Bacchus, F. **87** (1996) 75–143
Kondrak, G. and P. van Beek
A theoretical evaluation of selected backtracking algorithms **89** (1997) 365–387
Korf, R.E. and D.M. Chickering
Best-first minimax search **84** (1996) 299–337
Korf, R.E., see Zhang, W. **81** (1996) 223–239
Kraus, S.
An overview of incentive contracting **83** (1996) 297–346
Kraus, S., see Grosz, B.J. **86** (1996) 269–357
Kuru, S., see Say, A.C.C. **83** (1996) 75–141
Kwoh, C.-K. and D.F. Gillies
Using hidden nodes in Bayesian networks **88** (1996) 1– 38

Lakemeyer, G.
Limited reasoning in first-order knowledge bases with full introspection **84** (1996) 209–255
Langrana, N., see Steinberg, L. **84** (1996) 37– 56
Lathrop, R.H., see Dietterich, T.G. **89** (1997) 31– 71
Leone, N., see Eiter, T. **90** (1997) 177–223
Levesque, H.J., see Mitchell, D.G. **81** (1996) 111–125
Levesque, H.J., see Selman, B. **81** (1996) 17– 29
Levesque, H.J., see Selman, B. **82** (1996) 259–272
Liau, C.-J. and B.I-P. Lin
Possibilistic reasoning—a mini-survey and uniform semantics **88** (1996) 163–193
Lin, B.I-P., see Liau, C.-J. **88** (1996) 163–193
Lin, J.
Integration of weighted knowledge bases **83** (1996) 363–378
Lin, J.
A semantics for reasoning consistently in the presence of inconsistency **86** (1996) 75– 95
Litman, D.J., see Devanbu, P.T. **84** (1996) 1– 35
Littman, M., see Charniak, E. **85** (1996) 45– 57
Lobo, J. and C. Uzcátegui
Abductive consequence relations **89** (1997) 149–171
Lozano-Pérez, T., see Dietterich, T.G. **89** (1997) 31– 71

MacDonald, A.J., see Holte, R. **85** (1996) 321–361
Masuch, M., see Huang, Z. **82** (1996) 75–127
Mathias, K., see Whitley, D. **85** (1996) 245–276
McCann, J., see Charniak, E. **85** (1996) 45– 57

McConnell, C., see Berliner, H.J. **86** (1996) 97–156
McKeown, K., see Robin, J. **85** (1996) 135–179
Meiri, I.
Combining qualitative and quantitative constraints in temporal reasoning **87** (1996) 343–385
Meiri, I., R. Dechter and J. Pearl
Uncovering trees in constraint networks **86** (1996) 245–267
Mitchell, D.G. and H.J. Levesque
Some pitfalls for experimenters with random SAT **81** (1996) 111–125
Mitchell, D.G., see Selman, B. **81** (1996) 17– 29
Mkadmi, T., see Holte, R. **85** (1996) 321–361
Moses, Y. and M. Tennenholtz
Off-line reasoning for on-line efficiency: knowledge bases **83** (1996) 229–239
Muggleton, S.H., see Srinivasan, A. **85** (1996) 277–299

Nau, D.S., see Kambhampati, S. **82** (1996) 129–155
Nayak, P.P. and L. Joskowicz
Efficient compositional modeling for generating causal explanations **83** (1996) 193–227
Nilsson, N.J.
Book Review of *Artificial Intelligence: A Modern Approach* (Stuart Russell and Peter Norvig) **82** (1996) 369–380

Oota, K., see Iwanuma, K. **86** (1996) 391–402
Orponen, P., see Greiner, P. **82** (1996) 21– 44

Pazienza, M.T., see Basili, R. **85** (1996) 59– 99
Pearl, J., see Darwiche, A. **89** (1997) 1– 29
Pearl, J., see Goldszmidt, M. **84** (1996) 57–112
Pearl, J., see Meiri, I. **86** (1996) 245–267
Pemberton, J.C. and W. Zhang
Epsilon-transformation: exploiting phase transitions to solve combinatorial optimization problems **81** (1996) 297–325
Pijls, W., see Plaat, A. **87** (1996) 255–293
Plaat, A., J. Schaeffer, W. Pijls and A. de Bruin
Best-first fixed-depth minimax algorithms **87** (1996) 255–293
Pólos, L., see Huang, Z. **82** (1996) 75–127
Poole, D.
Probabilistic conflicts in a search algorithm for estimating posterior probabilities in Bayesian networks **88** (1996) 69–100
Porter, B., see Cohen, P. **85** (1996) 1– 2
Pradhan, M., M. Henrion, G. Provan, B. del Favero and K. Huang
The sensitivity of belief networks to imprecise probabilities: an experimental investigation **85** (1996) 363–397

Prosser, P.
An empirical study of phase transitions in binary constraint satisfaction problems **81** (1996) 81–109
Provan, G., see Pradhan, M. **85** (1996) 363–397

Qu, Y., see Kambhampati, S. **88** (1996) 253–315

Ram, A. and J.C. Santamaría
Continuous case-based reasoning **90** (1997) 25– 77
Rana, S., see Whitley, D. **85** (1996) 245–276
Reeke Jr, G.N.
Book Review of *The Computational Brain* (Patricia S. Churchland and Terrence J. Sejnowski) **82** (1996) 381–391
Reichgelt, H., see Vila, L. **83** (1996) 59– 74
Reynolds, D. and J. Gomatam
Stochastic modelling of Genetic Algorithms **82** (1996) 303–330
Reynolds, D. and J. Gomatam
Similarities and distinctions in sampling strategies for Genetic Algorithms (Research Note) **86** (1996) 375–390
Riloff, E.
An empirical study of automated dictionary construction for information extraction in three domains **85** (1996) 101–134
Robin, J. and K. McKeown
Empirically designing and evaluating a new revision-based model for summary generation **85** (1996) 135–179
Rosenbloom, P.S., see Golding, A.R. **87** (1996) 215–254
Rosenschein, J.S,, see Ephrati, E. **87** (1996) 21– 74
Rosenschein, J.S., see Zlotkin, G. **84** (1996) 151–176
Rosenschein, J.S., see Zlotkin, G. **86** (1996) 195–244
Roth, D.
On the hardness of approximate reasoning **82** (1996) 273–302
Roth, D., see Khardon, R. **87** (1996) 187–213
Russell, S., see Zilberstein, S. **82** (1996) 181–213
Rymon, R.
Goal-directed diagnosis—a diagnostic reasoning framework for exploratory-corrective domains **84** (1996) 257–297

Sadeh, N. and M.S. Fox
Variable and value ordering heuristics for the job shop scheduling constraint satisfaction problem **86** (1996) 1– 41
Santamaría, J.C., see Ram, A. **90** (1997) 25– 77
Santos, E.S., see Santos Jr, E. **86** (1996) 157–170
Santos Jr, E. and E.S. Santos
Polynomial solvability of cost-based abduction (Research Note) **86** (1996) 157–170

Say, A.C.C. and S. Kuru
Qualitative system identification: deriving structure from behavior **83** (1996) 75–141
Schaeffer, W., see Plaat, A. **87** (1996) 255–293
Schaerf, M., see Cadoli, M. **88** (1996) 215–251
Schaub, T.H., see Delgrande, J.P. **90** (1997) 301–348
Schrag, R. and J.M. Crawford
Implicates and prime implicates in Random 3-SAT **81** (1996) 199–222
Sebastiani, R., see Bundy, A. **88** (1996) 39– 67
Segre, A.M., G.J. Gordon and C.P. Elkan
Exploratory analysis of speedup learning data using expectation maximization **85** (1996) 301–319
Selman, B. and H.J. Levesque
Support set selection for abductive and default reasoning **82** (1996) 259–272
Selman, B. and S. Kirkpatrick
Critical behavior in the computational cost of satisfiability testing **81** (1996) 273–295
Selman, B., D.G. Mitchell and H.J. Levesque
Generating hard satisfiability problems **81** (1996) 17– 29
Sen, A.K. and A. Bagchi
Graph search methods for non-order-preserving evaluation functions: applications to job sequencing problems **86** (1996) 43– 73
Shahar, Y.
A framework for knowledge-based temporal abstraction **90** (1997) 79–133
Shallice, T., see Cooper, R. **85** (1996) 3– 44
Simonet, G.
On Sandewall's paper: Nonmonotonic inference rules for multiple inheritance with exceptions (Research Note) **86** (1996) 359–374
Smith, B.M. and M.E. Dyer
Locating the phase transition in binary constraint satisfaction problems **81** (1996) 155–181
Srinivasan, A., S.H. Muggleton, M.J.E. Sternberg and R.D. King
Theories for mutagenicity: a study in first-order and feature-based induction **85** (1996) 277–299
Steinberg, L. and N. Langrana
EVEXED and MEET for mechanical design: testing structural decomposition and constraint propagation **84** (1996) 37– 56
Sternberg, M.J.E., see Srinivasan, A. **85** (1996) 277–299
Stolzenburg, F., see Baumgartner, P. **90** (1997) 135–176

Tennenholtz, M., see Moses, Y. **83** (1996) 229–239
Thielscher, M.
Ramification and causality **89** (1997) 317–364

Uzcátegui, C., see Lobo, J. **89** (1997) 149–171

Valdés-Pérez, R.E.
A new theorem in particle physics enabled by machine discovery (Research Note) **82** (1996) 331–339
Van Beek, P., see Kondrak, G. **89** (1997) 365–387
Velardi, P., see Basili, R. **85** (1996) 59– 99
Vila, L. and H. Reichgelt
The token reification approach to temporal reasoning **83** (1996) 59– 74
Vreeswijk, G.A.W.
Abstract argumentation systems **90** (1997) 225–279

Walker, M.A.
The effect of resource limits and task complexity on collaborative planning in dialogue **85** (1996) 181–243
Walley, P.
Measures of uncertainty in expert systems **83** (1996) 1– 58
Walsh, T., see Bundy, A. **88** (1996) 39– 67
Walsh, T., see Gent, I.P. **81** (1996) 59– 80
Walsh. T., see Gent, I.P. **88** (1996) 349–358
Weld, D.S., see Etzioni, O. **89** (1997) 113–148
Whitney, D., S. Rana, J. Dzubera and K. Mathias
Evaluating evolutionary algorithms **85** (1996) 245–276
Williams, C.P., see Hogg, T. **81** (1996) 1– 15

Xiang, Y.
A probabilistic framework for cooperative multi-agent distributed interpretation and optimization of communication **87** (1996) 295–342

Yang, Q., see Fink, E. **89** (1997) 285–315

Zhang, N.L.
Irrelevance and parameter learning in Bayesian networks (Research Note) **88** (1996) 359–373
Zhang, W. and R.E. Korf
A study of complexity transitions on the asymmetric traveling salesman problem **81** (1996) 223–239
Zhang, W., see Pemberton, J.C. **81** (1996) 297–325
Zilberstein, S. and S. Russell
Optimal composition of real-time systems **82** (1996) 181–213
Zimmer, R.M., see Holte, R. **85** (1996) 321–361
Zlotkin, G. and J.S. Rosenschein
Compromise in negotiation: exploiting worth functions over states **84** (1996) 151–176
Zlotkin, G. and J.S. Rosenschein
Mechanism design for automated negotiation, and its application to task oriented domains **86** (1996) 195–244